

ADVANCED HEALTHCARE MATERIALS

Supporting Information

for *Adv. Healthcare Mater.*, DOI: 10.1002/adhm.202000630

Microfabricated Gaps Reveal the Effect of Geometrical Control in Wound Healing

Min Bao, Jing Xie, Aigars Piruska, Xinyu Hu, and Wilhelm T. S. Huck**

Supporting information

Microfabricated gaps reveal the effect of geometrical control in wound healing


Min Bao^{1,2#*}, Jing Xie^{1#}, Aigars Piruska¹, Xinyu Hu¹, Wilhelm T.S. Huck^{1*}

1. Institute for Molecules and Materials, Radboud University, Heyendaalseweg 135, 6525 AJ Nijmegen, The Netherlands.



2. Division of Biology and Biological Engineering, California Institute of Technology, 1200 E. California Boulevard, 91125 CA Pasadena, USA

*Corresponding authors, E-mail: w.huck@science.ru.nl; m.bao@science.ru.nl

#These authors contributed equally



Supporting figure 1. Immunostainings for fibronectin inside micro-containers before and after de-cellularization (treatment with EDTA and Triton-X100). Scale bar is 200 μm .



Supporting figure 3. Representative 3D images show F-actin (red) and DAPI (blue) staining for fibroblasts during gap closure at different time points.